



THE INTEGRATED SPORTS TURF GROOMER

greensgroomer.com





NEW. THIRD GENERATION DESIGN

The Synthetic Sports Turf Groomer was redesigned in 2014 resulting in an improved brush design and increased grooming performance. In 2015, we've taken the design a step further, by incorporating an integrated spring tine rake. This unit conditions synthetic turf surfaces and relieves compaction while delivering greater labor efficiencies , ease of operation, and a lower total cost of ownership.

Simple in design with a heavy-duty construction, the focal point of this patent-pending design are the precise brush dimensions and angles. This allows grooming in four directions, standing up turf fibers and leveling infill material. The integrated rake simplifies equipment requirements and gives the facility flexibility for on-demand raking without equipment change-over.

EASILY ADJUSTABLE TINE LEVER

The integrated Spring Tine is controlled through a simple, rotating lever. This allows the operator to quickly and easily rotate tines upwards and out of the way while not needed. When raking is required, a simple motion rotates the tines into raking mode in one easy motion.

The spring tines are completely adjustable, so the depth of raking can be controlled by the facility. Simple markings on the lever rail allows the operator to precisely dial in tine depth.

LARGER FOOTPRINT / IMPROVED BRUSH DESIGN

The brush design from the second generation unit are maintained on this unit. The patent-pending design increases brush area, improves directional movement, and distributes weight more efficiently.

Since there is greater brush surface area, the weight per square inch is reduced, keeping the brushes in a straight upright position. The result is improved infill redistribution, better realignment of turf fibers, and a reduction of infill compaction.

The hallmark of this patent-pending design are the precise brush dimensions and angles, which move infill in four directions for every four feet of forward movement. This allows for true one-pass performance.





SAVING TIME FROM EQUIPMENT CHANGE-OVER

The Integrated Sports Turf Groomer puts convenience in the hands of the operator. By incorporating the Spring Tine Rake, the Sports Turf Groomer saves time by eliminating the need for attachment/removal of the rake when not in use.

NO HOPPING OR SIDE-TO-SIDE MOVEMENT

Even the often overlooked design considerations are resident on the Integrated Sports Turf Groomer — like perfect balance side to side and front to back. This balance allows for smooth brushing and raking with no hopping. It won't cut or damage turf. The electric actuator provides almost infinite adjustment control, from wheels down transport to wheels up brushing.

SIMPLE, EFFICIENT SYNTHETIC TURF CARE

At GreensGroomer WorldWide, Inc., our design philosophy has always been focused on "low mechanical complexity with high reliability". While other turf conditioning systems may offer promises of performance through mechanization, the fact remains that simplicity most often produces the best results. Zero down time means that your unit continues to perform, day in and day out, without the need of mechanical repairs.

LOW COST OF OWNERSHIP

Simple in design and rugged in its construction, the Synthetic Sports Turf Groomer affords you easy operation while delivering results. The low mechanical complexity requires a virtual zero investment to keep in top operational condition. Occasional replacement of the synthetic brushes is all that is needed to get the most from your equipment investment.



PRODUCT BACKGROUND

We design and fabricate our equipment with an eye towards indestructibility. We know that equipment can take a real beating, so the structural elements and materials are specified for maximum strength and longevity in mind.

Some components such as brushes and wheel bearing will need replacement over time. Our parts are quickly obtained through our dealer network or directly from GreensGroomer WorldWide, Inc.

PRODUCT SERVICE & SUPPORT

All GreensGroomer equipment is fabricated and assembled in Indianapolis Indiana with high-quality materials and procedures from experienced craftsmen and personnel. Our equipment is prepped and crated for quick order processing and shipment. With a central domestic location, we can minimize freight across the US and have international shipments prepared for containers on both coasts.

Distribution is handled by a global network of dealers, ready to serve your equipment needs. Should you have any product questions or require parts for your existing GreensGroomer equipment, don't hesitate to contact our Customer Service Department at 888-298-8852.



SPECIFICATIONS

Model	926
Main Frame	2 inch square tube (11 gauge) with 1-1/2 inch (10 gauge) Square tube cross bars
Draw Bar	One piece 2" square tube
ength	64 inches. 72 inches with rear brush attachment (106 inches overall including the drawbar)
Width	72 inches
Weight	375 lbs.
Running Gear	2 pneumatic tires (16 x 650-8) Ribbed 2-ply with Oil Impregnated Graf oil bushings
Electric Lift	1000 lb. capacity Electric 12 volt linear actuator
Finish	Powder coat with 6-step pre-wash including degreaser and anti rust coating
Brushes	(16) Blue Super Duty Synthetic, flat bristles attached to polypropylene head - 4-12"; 8-18"; 4-41"
Tines	3 rows of 14 tines, 3/16" diameter w/ 40° tip bend, 7/8" spacing
Brush Weight	26 lbs Full set Blue
Shipping Crate	75-1/2" x 69-3/4" x 29"
Crated Weight	505 lbs.

