




**GreensGroomer®**

**GREENSWAGON**

[greensgroomer.com](http://greensgroomer.com)



## A LOWER COST TRANSPORT OPTION

Easy transportation for your walk-behind mowers, without the price tag of OEM units. The GreensWagon adapts to the most common mowers from the Big Three and then some.

With an extra wide stance, the GreensWagon provides a stable platform for transport. The heavy gauge steel construction and durable powder-coat finish will deliver many years of reliable service. The perforated deck makes for easy cleanup too. How can you go wrong with this combination?

## EASY TO USE

The GreensWagon comes with an easy, slide-out ramp. It takes just seconds to pull the ramp out, load your mower, engage the lock-down mechanism, and slide the ramp back in.

You're off to the next green while protecting the drum, height adjustment roller, and bedknives. You'll be assured an accurate cut from the first green to the eighteenth green!

## PROTECTIVE FEATURES


Standard on the GreensWagon are specially designed "wings". These reinforced wheel housings protect the unit from damaging obstacles. As optional equipment, we produced heavy gauge fenders that further protect the unit and control spray.

## SMOOTH TRANSPORT

Every GreensWagon is outfitted with high-quality roller bearings inside the wheel assembly. This insures long-term reliability and smooth transport.

## EXTRA WIDE STANCE

The GreensWagon is very stable, with a 55 inch wide stance. When the mower is locked into place, the wide stance allows the unit to run through rough terrain without harm or damage.



## THE RIGHT BRACKETS FOR YOUR UNIT

Each unit is tailored to your unit with precision designed brackets and hardware to insure that your walk-behind mowers are locked in place and secure for transport.

When ordering the GreensWagon, your mower model will need to be specified and the correct brackets will be supplied with the unit.

## EASY REPLACEMENT

Should you make the decision to change mower manufacturers, there is no need to get rid of the entire unit. A new bracket and hardware can be acquired and you're quickly back in business.



Jacobsen 518	Jacobsen 522	Jacobsen 526	Jacobsen TC 22
Toro 500	Toro 800	Toro 1000	Toro 1600
Toro Flex 18	Toro Flex 21, 2100	John Deere 180A/B/C/SL/E-Cut	John Deere 220A/B/C/SL/E-Cut
John Deere 180B/C	John Deere 220A/B/C/SL/E-Cut	John Deere 260B/C/SL/E-Cut	PGM/Ransome 22



## PRODUCT BACKGROUND

We design and fabricate our equipment with an eye towards indestructibility. We know that equipment can take a real beating, so the structural elements and materials are specified for maximum strength and longevity in mind.

The GreensWagon is virtually maintenance free. Some components such as wheel bearings may need replacement over time. Our parts are quickly obtained through our dealer network or directly from GreensGroomer WorldWide, Inc.

## PRODUCT SERVICE & SUPPORT

All GreensGroomer equipment is fabricated and assembled in Indianapolis Indiana with high-quality materials and procedures from experienced craftsmen and personnel. Our equipment is prepped and crated for quick order processing and shipment. With a central domestic location, we can minimize freight across the US and have international shipments prepared for containers on both coasts.



### SPECIFICATIONS

<b>Model</b>	740
<b>Main Frame</b>	10 gauge steel
<b>Length</b>	70 inches
<b>Width</b>	55 inches
<b>Weight</b>	170 lbs.
<b>Running Gear</b>	2 pneumatic tires (16 x 650-8) Ribbed 2-ply with Roller bearings
<b>Finish</b>	Powder coat with 6-step pre-wash including degreaser and anti rust coating
<b>Dimensions</b>	57" W x 16"H x 87" L (with drawbar)
<b>Shipping Crate</b>	60" x 46" x 21-1/2"
<b>Crated Weight</b>	270 lbs.